

A revolutionary cooker hood filter system



Revolutionary technology means that a PlasmaMade filter performs as efficiently as a ducted hood.

# Lasts up to 15 years!





After years of development, PlasmaMade launched in 2013 with a completely new way to extract in the kitchen.

The PlasmaMade Plasma Series eliminates not only cooking odours but also pollen and bacteria by using four techniques:

- 1. The plasma converts the O2 molecules to O3 molecules, eliminating odour particles.
- 2. An electrostatic outer core creates ions that pass through the cooking air.
- 3. Our electrostats with their fiberglass core allow us to capture and store coarse pollutions & grease

- and slowly eliminate these by means of electrodes in a steel inner and outer grid.
- 4. Last, the carbon outer core cleans the air and removes any residues, allowing our filter to completely eliminate both coarse and ultrafine pollutions.

Many filters only use one of these methods, which is what makes our revolutionary PlasmaMade system so unique.

## THE FILTERS & THE BENEFITS

- No reduction in efficiency (compared to a charcoal filter)
- Recirculates air back into the room making it more environmentally friendly (added bonus of saving money on your heating bill)
- The filters can be mounted horizontally or vertically

- Eliminates odours, pollen and bacteria, providing not just extraction but filtered clean air.
- Comes with a 5 Year Warranty
- 12v Electrical Connection

#### **GUC 1214**

| Dimensions   | Mounting       | Mounting Adapter |
|--------------|----------------|------------------|
| 300 X 210 mm | 150 mm         | 150 mm           |
| Weight       | Max Extraction | Lifespan         |
| 2360q        | 1000           | 10 - 15 years    |

<sup>\*</sup>Suitable for wall, island, ceiling and integrated hoods.

### GUC 1314

| Dimensions        | Mounting       | Mounting Adapter |
|-------------------|----------------|------------------|
| 96 x 372 x 341 mm | 230 x 80 mm    | 222 x 89 mm      |
|                   |                | 220 x 90 mm      |
|                   |                | 230 x 80 mm      |
|                   |                |                  |
| Weight            | Max Extraction | Lifespan         |

10 - 15 years

#### GUC 1212

| Dimensions   | Mounting       | Mounting Adapter |
|--------------|----------------|------------------|
| 195 x 180 mm | 100 mm         | 150 mm           |
|              |                | 100 mm           |
|              |                |                  |
| Weight       | Max Extraction | Lifespan         |
| 1548g        | 600            | 10 - 15 years    |

<sup>\*</sup>Suitable for wall, island and integrated hoods.







<sup>3120</sup>g 1000 10 - 15
\*Suitable for ceiling, downdraft and venting hobs.





For further information please contact us on either of the following: **0114 399 8672** or **office@kitchenex.co.uk** 

Alternatively, you can visit our website: www.plasmamadefilters.co.uk

To view our videos on how PlasmaMade filters work please scan the QR code provided or visit: www.plasmamadefilters.co.uk/pages/videos

