

FABER

2024/25 Collection





Venting Hobs

4 - 6



Integrated Hoods

7 - 9



Wall Hoods

10 - 13



Ceiling Hoods

14 - 17



Island Hoods

18 - 20



Downdrafts

22



Induction Hobs

23



‘ Inventors of the domestic cooker hood and pioneers of extraction ’





- Competitively Priced (from £1,995 inc VAT)
- Easy Access Charcoal Filters (Under Grid)
- Recirculating Version Comes Ready to Use

Galileo Linear

GALILEO LINEAR F830	H520 x W830 x D230	340.0708.970
GALILEO LINEAR A830	H520 x W830 x D230	340.0708.972

Specification - Hood / Hob

Finish	Black Glass / Composite Grid
Controls	Touch Control
Width	830mm
Max Air Capacity	600 M ³ /H
Max Noise Level	72 dB
Energy Rating	A+
Induction Zones	4
Bridge Zones	1
Power Levels	9
Other Functions	Timer, Child Lock, Automatic Hood Switch-Off and Easy Access Filters

Accessories

Galileo Recirculating Plinth Duct Kit	112.0711.988
Galileo Recirculating Void Duct Kit	112.0711.987
Venting Hob Duct Out	DUCT KIT 1
Venting Hob Plinth Void Recirc Kit	DUCT KIT 2



- **RAL Colour Match Grid Option**
- Easy Access Charcoal Filters (Under Grid)
- Multiple Recirculating/Ducting Options

Galileo Bold

GALILEO BOLD F830	H520 x W830 x D230	340.0708.971
GALILEO BOLD A830	H520 x W830 x D230	340.0708.973

Specification - Hood / Hob

Finish	Black Glass / Aluminium Grid
Controls	Touch Slider Control
Width	830mm
Max Air Capacity	630 M ³ /H
Max Noise Level	73 dB
Energy Rating	A+
Induction Zones	4
Bridge Zones	2
Power Levels	9
Other Functions	Timer, Child Lock, Automatic Hood Switch-Off and Easy Access Filters

Accessories

Galileo Recirculating Plinth Duct Kit	112.0711.988
Galileo Recirculating Void Duct Kit	112.0711.987
Venting Hob Duct Out	DUCT KIT 1
Venting Hob Plinth Void Recirc Kit	DUCT KIT 2
Galileo Bold RAL Colour Grid	RALGRID

Galileo Stripes



GALILEO STRIPES F830	H520 x W830 x D230	340.0708.969
GALILEO STRIPES A830	H520 x W830 x D230	340.0708.968

Specification - Hood / Hob

Finish	Black Glass / Composite Grid / Aluminium
Controls	Touch Slider Control
Width	830mm
Max Air Capacity	600 M ³ /H
Max Noise Level	72 dB
Energy Rating	A+
Induction Zones	4
Bridge Zones	2
Power Levels	9
Other Functions	Timer, Child Lock, Automatic Hood Switch-Off and Easy Access Filters

Accessories

Galileo Recirculating Plinth Duct Kit	112.0711.988
Galileo Recirculating Void Duct Kit	112.0711.987
Venting Hob Duct Out	DUCT KIT 1
Venting Hob Plinth Void Recirc Kit	DUCT KIT 2

- Bright White LED Controls
- Easy Access Charcoal Filters (Under Grid)
- Multiple Recirculating/Ducting Options

Galileo Glass



GALILEO GLASS HE	H520 x W830 x D230	340.0679.890
------------------	--------------------	--------------

Specification - Hood / Hob

Finish	Black Glass / Composite Grid
Controls	Touch Slider Control
Width	830mm
Max Air Capacity	510 M ³ /H
Max Noise Level	69 dB
Energy Rating	A+
Induction Zones	4
Bridge Zones	2
Power Levels	9
Other Functions	Timer, Child Lock and Automatic Hood Switch-Off

Accessories

Galileo Complete Recirculating Kit 60H	112.0540.730
Galileo Complete Recirculating Kit 100H	112.0540.781
Galileo Back Recirculation Kit	112.0685.046
Venting Hob Duct Out	DUCT KIT 1

- Glass Finish on Grid
- Grey Induction Zones Design
- Multiple Recirculating/Ducting Options

Galileo Slim



GALILEO SLIM F600	H520 x W600 x D230	340.0708.974
GALILEO SLIM A600	H520 x W600 x D230	340.0708.975

Specification - Hood / Hob

Finish	Black Glass / Steel Grid
Controls	Touch Control
Width	600mm
Max Air Capacity	630 M ³ /H
Max Noise Level	73 dB
Energy Rating	A+
Induction Zones	4
Bridge Zones	2
Power Levels	9
Other Functions	Timer, Child Lock, Automatic Hood Switch-Off and Easy Access Filters

Accessories

Galileo Recirculating Plinth Duct Kit	112.0711.988
Galileo Recirculating Void Duct Kit	112.0711.987
Venting Hob Duct Out	DUCT KIT 1
Venting Hob Plinth Void Recirc Kit	DUCT KIT 2

- Slim Size Perfect for Compact Kitchens
- Easy Access Charcoal Filters (Under Grid)
- Multiple Recirculating/Ducting Options

Galileo NG

GALILEO BK H520 x W830 x D230 340.0594.624



- Very Durable and Flush Fitted Cast Iron Grid
- Accurate and Responsive Slider Controls
- Multiple Recirculating/Ducting Options

Specification - Hood / Hob

Finish	Black Glass / Cast Iron Grid
Controls	Touch Slider Control
Width	830mm
Max Air Capacity	700 M ³ /H
Max Noise Level	72 dB
Energy Rating	A+++
Induction Zones	4
Bridge Zones	2
Power Levels	9
Other Functions	Timer, Child Lock, Pan Detection and Automatic Hood Switch-Off

Accessories

Galileo Complete Recirculating Kit 60H	112.0540.730
Galileo Complete Recirculating Kit 100H	112.0540.781
Galileo Back Recirculation Kit	112.0685.046
Venting Hob Duct Out	DUCT KIT 1

Galileo Smart

GALILEO SMART BK H520 x W830 x D230 340.0577.694



- Very Durable and Flush Fitted Cast Iron Grid
- Waterproof Motor
- Multiple Recirculating/Ducting Options

Specification - Hood / Hob

Finish	Black Glass / Cast Iron Grid
Controls	Touch Control
Width	830mm
Max Air Capacity	700 M ³ /H
Max Noise Level	72 dB
Energy Rating	A++
Induction Zones	4
Bridge Zones	2
Power Levels	9
Other Functions	Timer, Child Lock and Automatic Hood Switch-Off

Accessories

Galileo Complete Recirculating Kit 60H	112.0540.730
Galileo Complete Recirculating Kit 100H	112.0540.781
Galileo Back Recirculation Kit	112.0685.046
Venting Hob Duct Out	DUCT KIT 1

Galileo Smart 60

GALILEO SMART 60 BK H520 x W600 x D230 340.0627.227



- Slim Size Perfect for Compact Kitchens
- Induction Zones Same Size as Larger Models
- Multiple Recirculating/Ducting Options

Specification - Hood / Hob

Finish	Black Glass / Steel Grid
Controls	Touch Control
Width	600mm
Max Air Capacity	630 M ³ /H
Max Noise Level	71 dB
Energy Rating	A++
Induction Zones	4
Bridge Zones	2
Power Levels	9
Other Functions	Timer, Child Lock and Automatic Hood Switch-Off

Accessories

Galileo Smart 60 Recirculating Kit 60H	112.0626.656
Galileo Smart 60 Recirculating Kit 100H	112.0626.657
Galileo Back Recirculation Kit	112.0685.046
Venting Hob Duct Out	DUCT KIT 1



Inca Lux 3.0

INCA LUX 3.0 EVO X A52	H318 × W520 × D290	305.0665.353
INCA LUX 3.0 EVO X A70	H318 × W700 × D290	305.0665.354
INCA LUX 3.0 EVO A70 MATT BK	H318 × W700 × D290	305.0665.356
INCA LUX 3.0 EVO A52 MATT BK	H318 × W520 × D290	305.0665.355
INCA LUX 3.0 EVO A70 MATT WH	H318 × W700 × D290	305.0665.358

Specification

Finish	Stainless Steel / Black Matt / White Matt
Lighting	LED Light Bar (3000K)
Controls	Electronic LED
Width	520 / 700mm
Max Air Capacity	620 M ³ /H (52cm) 670 M ³ /H (70cm)
Max Noise Level	67dB (52cm) 66dB (70cm)
Energy Rating	B

Accessories

FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278
ENERGY Remote Blower Kit	112.0327.007

- Premium Flush Fitting Design
- Bright LED Bar to Illuminate Cooking Area
- Multiple Sizes and Finishes



Victory 2.0

Victory 2.0 X A99	H330 × W990 × D300	110.0357.341
Victory 2.0 X A77	H330 × W770 × D300	110.0357.395
Victory 2.0 X A54	H330 × W540 × D300	110.0357.399

Specification

Finish	Stainless Steel
Lighting	2 LED Lights (540-770mm) / 4 LED Lights (990mm) (3000K)
Controls	Electronic LED
Width	540 / 770 / 990mm
Max Air Capacity	600 M ³ /H
Max Noise Level	69 dB
Energy Rating	B

Accessories

FLL9 Long Lasting Charcoal Filter	112.0185.276
-----------------------------------	--------------

- Larger Sizes Perfect for Range Cookers or Open Plan Kitchens
- Very Simple Install
- Motor Can be Turned in 4 Directions Including Rear Ducted



- Very Competitively Priced
- Flush Fitted
- Easy to Use Controls

Inca Smart C

INCA SMART C LG A52	H220.7 x W522 x D286	305.0613.301
INCA SMART C LG A70	H220.7 x W702 x D286	305.0613.302

Specification

Finish	Light Grey
Lighting	2 x LED Lights (4000K)
Controls	Electromechanical
Width	520 / 700mm
Max Air Capacity	335 M ³ /H
Max Noise Level	66 dB
Energy Rating	C

Accessories

F23 Charcoal Filter	112.0556.527
---------------------	--------------



- Premium Stainless Steel Finish
- Push-In-Pop-Out Control Button
- Great Extraction for Price Point

Inca Plus HCS

INCA PLUS HCS X A52	H342.5 x W522 x D286	305.0613.289
INCA PLUS HCS X A70	H342.5 x W702 x D286	305.0613.290

Specification

Finish	Stainless Steel
Lighting	2 x LED Lights (4000K)
Controls	Electromechanical
Width	520 / 700mm
Max Air Capacity	590 M ³ /H
Max Noise Level	63 dB
Energy Rating	B

Accessories

FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278



- Sleek Flush Fitted Design
- Contemporary Perimeter LED Lighting
- Remote Control Included

In-Light

IN-LIGHT EV8+ X KL A52	H331 X W520 X D285	110.0456.213
IN-LIGHT EV8+ WH MATT KL A52	H331 X W520 X D285	110.0456.216
IN-LIGHT EV8+ X KL A70	H331 X W700 X D285	110.0456.215
N-LIGHT EV8+ WH MATT KL A70	H331 X W700 X D285	110.0456.218

Specification

Finish	Stainless Steel / White Matt
Lighting	Perimeter LED Lights (4000K)
Controls	Electronic LED
Width	520mm / 700mm
Max Air Capacity	710 M ³ /H
Max Noise Level	69 dB
Energy Rating	A

Accessories

FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278



- Fold Out Glass Visor
- Push-In-Pop-Out Control Button
- Replaces Bottom of Cabinet to Protect Furniture

In-Nova Smart Plus

IN-NOVA SMART PLUS X A60	H340 x W600 x D320	305.0557.680
IN-NOVA SMART PLUS X A90	H340 x W900 x D320	305.0557.691
IN-NOVA SMART PLUS X A120	H340 x W1200 x D320	305.0554.567

Specification

Finish	Stainless Steel
Lighting	2 x LED Lights (4000K)
Controls	Pull Out Control Button
Width	600 / 900 / 1200mm
Max Air Capacity	360 M ³ /H
Max Noise Level	68 dB
Energy Rating	D

Accessories

F3 Smile Charcoal Filter	112.0067.944
FLL3 Long Lasting Charcoal Filter	112.0544.470



- Fold Out Glass Visor
- Powerful Extraction Rate
- Replaces Bottom of Cabinet to Protect Furniture

In-Nova Premium

IN-NOVA PREMIUM X A60	H340 x W598 x D320	110.0439.940
IN-NOVA PREMIUM X A90	H340 x W898 x D320	110.0439.951
IN-NOVA PREMIUM X A120	H340 x W1198 x D320	110.0439.952

Specification

Finish	Stainless Steel
Lighting	2 x LED Lights (4000K)
Controls	Electronic Sensor
Width	600 / 900 / 1200mm
Max Air Capacity	670 M ³ /H
Max Noise Level	69 dB
Energy Rating	C

Accessories

ENERGY Remote Blower Kit	112.0327.007
Remote Control	112.0676.782
FLL9 Long Lasting Charcoal Filter	112.0185.276



- Anti-Condensation Technology
- Multiple Sizes and Finishes
- Replaces Bottom of Cabinet to Protect Furniture

In-Nova Zero Drip Lite

IN-NOVA ZERO DRIP LITE STAINLESS STEEL 60	H340 x W600 x D320	305.0703.267
IN-NOVA ZERO DRIP LITE STAINLESS STEEL 75	H340 x W750 x D320	305.0703.268
IN-NOVA ZERO DRIP LITE STAINLESS STEEL 90	H340 x W900 x D320	305.0703.270
IN-NOVA ZERO DRIP LITE STAINLESS STEEL 120	H340 x W1200 x D320	305.0703.269
IN-NOVA ZERO DRIP LITE BLACK MATT 60	H340 x W600 x D320	305.0704.149
IN-NOVA ZERO DRIP LITE BLACK MATT 90	H340 x W900 x D320	305.0704.150

Specification

Finish	Stainless Steel / Black Matt
Lighting	2 x LED Lights (4000K)
Controls	Electronic Push Button
Width	600 / 750 / 900 / 1200mm
Max Air Capacity	670 M ³ /H
Max Noise Level	68 dB
Energy Rating	B

Accessories

FLL26 Charcoal Filter	112.0627.248
Remote Control	112.0676.782



- Porcelain Style Face in 2 Finishes
- Touch Controls
- Powerful Extraction Rate

Grexia NG

GREXIA NG DG/BK A60	H450 × W595	330.0694.725
GREXIA NG LG/BK A60	× D386	330.0694.727
GREXIA NG DG/BK A80	H450 × W795	330.0694.726
GREXIA NG LG/BK A80	× D386	330.0694.728

Specification

Finish	Dark Grey / Light Grey
Lighting	2 LED Lights (4000K)
Controls	Touch Control
Width	600 / 800mm
Max Air Capacity	710 M ³ /H
Max Noise Level	67 dB
Energy Rating	B

Accessories

FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278
Remote Control	112.0676.782



- 4 Retro Metallic Finishes
- Powerful LED Light Bar
- Can be Rear Ducted Through an External Wall

Chloé

CHLOÉ EV8+ OM A70		110.0456.129
CHLOÉ EV8+ OC A70	H320 × W700 ×	110.0456.174
CHLOÉ EV8+ OB A70	D352	321.0456.177
CHLOÉ EV8+ DG MATT A70		110.0458.989

Specification

Finish	Old Metal / Old Copper / Old Brass / Dark Grey Matt
Lighting	LED Light Bar (4000K)
Controls	Electronic
Width	700mm
Max Air Capacity	730 M ³ /H
Max Noise Level	68 dB
Energy Rating	A

Accessories

FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278
Chloe Rear Ducting Kit OM	112.0490.249
Chloe Rear Ducting Kit OC	112.0490.250
Chloe Rear Ducting Kit OB	112.0490.262
Chloe Rear Ducting Kit DGM	112.0490.263
Remote Control	112.0676.782



Talika

TALIKA OC A80	H635 X W798 X	330.0540.784
TALIKA CT A80	D240	330.0540.785

Specification

Finish	Old Copper / Cross Titanium
Lighting	2 LED Lights (3000K)
Controls	Squarcle Touch Control
Width	800mm
Max Air Capacity	600 M ³ /H
Max Noise Level	74 dB
Energy Rating	A

Accessories

F22 Charcoal Filter	112.0540.783
Remote Control	112.0676.782

- First Ever Vertical Cooker Hood
- Brushless Motor for Sound Efficiency
- 2 Stunning Metallic Finishes



Veil

VEIL WH A90	H573 × W898	110.0324.953
VEIL BK A90	× D361	335.0572.110

Specification

Finish	Matt Black / White
Lighting	2 LED Lights (3000K)
Controls	Electronic
Width	900mm
Max Air Capacity	740 M ³ /H
Max Noise Level	68 dB
Energy Rating	A+

Accessories

ENERGY Remote Blower Kit	112.0327.007
FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278

- Unique Curved Design
- Matching Chimney
- Very Powerful Extraction Rate



Tweet

TWEET EG8 LED BK A55	H382 × W548 ×	330.0572.387
TWEET EG8 LED WH A55	D388	330.0572.388
TWEET EG8 LED BK A80	H382 × W798 ×	330.0572.389
TWEET EG8 LED WH A80	D388	330.0572.390

Specification

Finish	Black Glass / White Glass
Lighting	2 LED Lights (4000K)
Controls	Touch Control
Width	550 / 800mm
Max Air Capacity	710 M ³ /H
Max Noise Level	67 dB
Energy Rating:	B

Accessories

FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278
Recycling Version Kit WH	112.0252.439
Recycling Version Kit BK	112.0252.442

- Timeless Design
- Touch Controls
- Flush Glass Finish with Matching Chimney to Body of Hood



- Stainless Steel Trim
- Very Powerful Extraction Rate
- Can be Rear Ducted Through an External Wall

Daisy 'B'

DAISY B EG6 BK A55	H382 × W548	330.0634.399
DAISY B EG6 WH A55	× D378	330.0634.400
DAISY B EG6 BK A80	H382 × W798	330.0634.423
DAISY B EG6 WH A80	× D378	330.0634.425

Specification

Finish	Black Glass / White Glass
Lighting	2 LED Lights (4000K)
Controls	Touch Control
Width	550 / 800mm
Max Air Capacity	740 M ³ /H
Max Noise Level	68 dB
Energy Rating	A

Accessories

FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278
Recycling Version Kit	112.0327.632



- Vertical Space Saving Design
- Touch Controls
- Brushless Motor for Sound Efficiency

Glam Fit

GLAM FIT 55 BK	H470 × W548	330.0528.270
GLAM FIT 55 WH	× D190	330.0528.301
GLAM FIT 80 BK	H470 × W798 ×	330.0528.269
GLAM FIT 80 WH	D190	330.0528.302

Specification

Finish	Black Glass / White Glass
Lighting	2 LED Lights (4000K)
Controls	Touch Control
Width	550 / 800mm
Max Air Capacity	570 M ³ /H
Max Noise Level	73 dB
Energy Rating	A

Accessories

F22 Nautilus Charcoal Filter	112.0540.783
------------------------------	--------------



- Contemporary Styling in Black Matt Finish
- Storage Shelving Holds Upto 15KG
- 3 Different Configurations (Add Shelf to Left or Right)

Modular

MODULAR	H650 × W598 × D350	335.0706.645
---------	-----------------------	--------------

Specification

Finish	Black Matt
Lighting	LED Bars (4000K)
Controls	Touch Control
Width	600mm
Max Air Capacity	720 M ³ /H
Max Noise Level	68 dB
Energy Rating	A

Accessories

FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278
Modular Shelf Unit 60	112.0706.647



- Classic Metallic Finish
- Extra Large Sizing
- Perfect for Range Cookers or Open Plan Kitchens

Chloe XL

CHLOE XL CI H450 x W1100 x D400 321.0506.536

Specification

Finish	Cast Iron
Lighting	2 LED Lights (4000K)
Controls	Electronic LED
Width	1100mm
Max Air Capacity	600 M ³ /H
Max Noise Level	62 dB
Energy Rating	C

Accessories

ENERGY Remote Blower Kit	112.0327.007
FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278



- Modern Black Steel Finish
- Very Powerful Extraction Rate
- Timeless Style

T-Night

T-NIGHT A90 H805 x W898 x D454 325.0652.937

Specification

Finish	Black Steel
Lighting	2 LED Lights (3000K)
Controls	Touch Control
Width	900mm
Max Air Capacity	780 M ³ /H
Max Noise Level	71 dB
Energy Rating	A++

Accessories

ENERGY Remote Blower Kit	112.0327.007
FLL9 Long Lasting Charcoal Filter	112.0185.276
F9 Charcoal Filter	112.0157.243
Remote Control	112.0676.782

90cm



60cm



90cm



90/120cm



- Multiple Sizes and Finishes
- Timeless Style
- Powerful LED Lighting

Stilo Comfort

STILO COMFORT X A60	H600 x W598 x D450	325.0615.637
STILO COMFORT X A90	H600 x W898 x D450	325.0615.636
STILO COMFORT X A120	H600 x W1198 x D450	325.0615.638
STILO COMFORT BK MATT A90	H600 x W898 x D450	325.0618.783
STILO COMFORT WH MATT A90	H600 x W898 x D450	325.0618.740

Specification

Finish	Stainless Steel / Black Matt / White Matt
Lighting	2 LED Lights (3000K)
Controls	Electronic
Width	600 / 900 / 1200mm
Max Air Capacity	710 M ³ /H
Max Noise Level	69 dB
Energy Rating	B

Accessories

ENERGY Remote Blower Kit	112.0327.007
FLL9 Long Lasting Charcoal Filter	112.0185.276
F9 Charcoal Filter	112.0157.243
Chimney Recirculating Kit	133.0046.956



Heaven Lite Glass

HEAVEN LITE GLASS EV8+ WH A90 H319 x W900 x D500 350.0529.509

Specification

Finish	White Glass
Lighting	LED Light (4000K)
Controls	Electronic LED
Width	900mm
Max Air Capacity	770 M ³ /H
Max Noise Level	68 dB
Energy Rating	A

Accessories

FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278



- Flush Fitted Design
- Crisp LED Light Bar
- Bright White Glass Finish

Heaven Lite

HEAVEN LITE EV8+ X A90	H311 x W899 x D499	350.0529.507
HEAVEN LITE EV8+ X A120	H311 x W1199x D499	350.0529.508

Specification

Finish	Stainless Steel
Lighting	LED light (4000K)
Controls	Electronic LED
Width	900 / 1200mm
Max Air Capacity	770 M ³ /H
Max Noise Level	68 dB
Energy Rating	A

Accessories

FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278



- Flush Fitted Design
- 2 Sizes to Accomodate for Larger Kitchens
- Crisp LED Light Bar

Sky Light

SKY LIGHT X KL A90	H205 x W898.6 x D498.6	350.0669.937
SKY LIGHT WH KL A90	H205 x W898.6 x D498.6	350.0669.936

Specification

Finish	Stainless Steel / White Glass
Lighting	2 LED bars (3000K)
Controls	EVO Touch control
Width	900mm
Max Air Capacity	700 M ³ /H
Max Noise Level	72 dB
Energy Rating	A+

Accessories

FLL18-90 Charcoal Filter	112.0471.608
--------------------------	--------------



- Flush Fitted Design
- 2 Bright LED Light Bars
- K-Link Hood to Hob Connectivity



Skypad 2.0

SKYPAD 2.0 X/WH F120	H166.5 x W1200 x D700	110.0479.462
----------------------	-----------------------	--------------

Specification

Finish	Stainless Steel / White Glass
Lighting	2 LED Lights (4000K)
Controls	Electronic LED
Width	1200mm
Max Air Capacity	850 M ³ /H
Max Noise Level	72 dB
Energy Rating	*
Special Features	Hood is fixed to the ceiling without the need for a cut-out.

* NOTE This model is exclusively available in the recirculating version only.



- Faber's Most Powerful Hood
- Mounted Directly to Ceiling for Ease of Install
- Modern Stainless Steel and Glass Finish

Heaven Compact

HEAVEN COMPACT EV8X A90 H272 × W900 350.0504.298
× D440

Specification

Finish	Stainless Steel / White Glass
Lighting	2 LED Lights (3000K)
Controls	Electronic LED
Width	900mm
Max Air Capacity	650 M ³ /H
Max Noise Level	65 dB
Energy Rating	B

Accessories

Energy Remote Blower Kit	112.0327.007
FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278



- Compact Motor Allows for Inter-Joist Install
- Modern Stainless Steel and Glass Finish
- Motor Can be Turned in 4 Directions

High-Light

HIGH-LIGHT 2.0 X KL A91 H205 × W908 350.0663.962
HIGH-LIGHT 2.0 BK MATT KL A91 × D498 350.0663.963
HIGH-LIGHT 2.0 WH MATT KL A91 350.0663.964

Specification

Finish	Stainless Steel / White Matt / Black Matt
Lighting	Perimeter LED Light (4000K)
Controls	Electronic LED
Width	910mm
Max Air Capacity	700 M ³ /H
Max Noise Level	72 dB
Energy Rating	A+

Accessories

FLL18-90 Charcoal Filter	112.0471.608
--------------------------	--------------



- Sleek Flush Fitted Design
- Slim Depth for Ease of Install
- Motor Can be Turned in 4 Directions



Heaven 2.0

Heaven 2.0 EV8+ KL X 90 H311 × W898.6 × D498.6 350.0621.950

Specification

Finish	Stainless Steel
Lighting	4 LED Lights (3000K)
Controls	Electronic LED
Width	900mm
Max Air Capacity	770 M ³ /H
Max Noise Level	68 dB
Energy Rating	A

Accessories

Energy Remote Blower Kit	112.0327.007
FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278



- 4 Powerful LED Spotlights
- K-Link Hood to Hob Connectivity
- Flush Fitted Design



Heaven Glass 2.0

HEAVEN GLASS 2.0 WH EV8+ A90 KL H311 × W898.6 × D498.6 350.0621.946

Specification

Finish	White Glass
Lighting	2 LED Lights (4000K)
Controls	Electronic LED
Width	900mm
Max Air Capacity	700 M ³ /H
Max Noise Level	72 dB
Energy Rating	A

Accessories

Energy Remote Blower Kit	112.0327.007
FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278



- Faber's Most Powerful Hood
- K-Link Hood to Hob Connectivity
- 2 Bright LED Light Bars



Heaven 3.0 Slim

HEAVEN 3.0 X SLIM A90 H311 × W898.6 × D498.6 350.0663.970
 HEAVEN 3.0 X MATT BK SLIM A90 H311 × W898.6 × D498.6 350.0663.966

Specification

Finish	Stainless Steel / Black Matt
Lighting	2 LED Lights (3000K)
Controls	Electronic LED
Width	900mm
Max Air Capacity	700 M ³ /H
Max Noise Level	72 dB
Energy Rating	A+

Accessories

FLL18-90 Charcoal Filter (90cm Hood)	112.0471.608
--------------------------------------	--------------



- 2 Contemporary Finishes
- Slim Depth for Ease of Install
- Motor Can be Turned in 4 Directions

Heaven Glass 3.0 Slim

HEAVEN GLASS 3.0 WH SLIM A90 KL H211 × W900 × D500 350.0663.971

Specification

Finish	White Glass
Lighting	2 LED Lights (4000K)
Controls	Electronic LED
Width	900mm
Max Air Capacity	700 M ³ /H
Max Noise Level	72 dB
Energy Rating	A+

Accessories

FLL18-90 Charcoal Filter	112.0471.608
--------------------------	--------------



- Bright White Glass Finish
- K-Link Hood to Hob Connectivity
- Slim Depth for Ease of Install





Chloé Isola

CHLOÉ ISOLA CI A70	H790 × W700 ×	321.0666.588
CHLOÉ ISOLA DG A70	D480	321.0666.589

Specification

Finish	Cast Iron / Dark Grey
Lighting	LED Bar (3000K)
Controls	Electronic LED
Width	700mm
Max Air Capacity	770 M ³ /H
Max Noise Level	67 dB
Energy Rating	A+

Accessories

Remote Control	112.0676.782
Energy Remote Blower Kit	112.0327.007
FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278



- Classic Metallic Finish
- Very Powerful Extraction Rate
- Mounted Directly to Ceiling for Ease of Install

Belle Plus

BELLE PLUS TITANIUM / WARM DG MATT KL	H481 × W693 × D693	345.0541.068
---------------------------------------	--------------------	--------------

Specification

Finish	Warm Titanium / Warm Dark Grey Matt (Gold)
Lighting	Perimeter LED Light (4000K)
Controls	Touch / Remote Control
Width	693mm
Max Air Capacity	610 M ³ /H
Max Noise Level	68 dB
Energy Rating	A
Special Features	Faber's unique F-Light "Up&Down" Technology

Accessories

FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278

* NOTE This model is exclusively available in the recirculating version only.



- Unique Gold Finish
- Centre Piece of Any Island Kitchen with Faber's 'Up & Down' Technology
- K-Link Hood to Hob Connectivity



- Blown Glass Chandelier Design
- Centre Piece of Any Island Kitchen with Faber's 'Up & Down' Technology
- K-Link Hood to Hob Connectivity



Nest Plus

NEST PLUS KL H430 × W880 × D580 345.0492.592

Specification

Finish	Stainless Steel / Glass
Lighting	Micro LED Lights (4000K)
Controls	Electronic / Remote Control
Width	860mm
Max Air Capacity	670 M ³ /H
Max Noise Level	69 dB
Energy Rating	A
Special Features	Faber's unique F-Light "Up&Down" Technology

Accessories

FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278
F-Light Ducting Kit	112.0169.216

- Stunning Metallic Finish
- Centre Piece of Any Island Kitchen with Faber's 'Up & Down' Technology
- K-Link Hood to Hob Connectivity



Pareo Plus

PAREO PLUS TIBETAN SILVER KL H1089 × W500 × D500 345.0492.594

Specification

Finish	Tibetan Silver
Lighting	Micro LED Lights (4000K)
Controls	Electronic
Width	500mm
Max Air Capacity	670 M ³ /H
Max Noise Level	69 dB
Energy Rating:	A
Special Features	Faber's unique F-Light "Up&Down" Technology

*The model is exclusively available as a ducted hood.



- Competitively Priced
- Very Powerful Extraction Rate
- Multiple Colours

Beat

BEAT BK MATT F45 H330 × W430 × D430 345.0612.337
 BEAT WH MATT F45 H330 × W430 × D430 345.0612.338
 BEAT DG MATT F45 H330 × W430 × D430 345.0612.339

Specification

Finish	White Matt / Black Matt / Dark Grey Matt
Lighting	2 LED Lights (3000K)
Controls	Electronic
Width	430mm
Max Air Capacity	740 M ³ /H
Max Noise Level	70 dB
Energy Rating	A

Accessories

FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278

* NOTE This model is exclusively available in the recirculating version only.

- Stunning Metallic Finish
- Timeless Style
- Easy Install



Cylindra Isola

CYLINDRA ISOLA H770 x W370 335.0572.111
EV8 X A37 ELN x D370

Specification

Finish	Stainless Steel
Lighting	2 LED lights (3000K)
Controls	Electronic
Width	370mm
Max Air Capacity	650 M ³ /H
Max Noise Level	71 dB
Energy Rating:	B

Accessories

FLL9 Long Lasting Charcoal Filter	112.0185.276
F9 Charcoal Filter	112.0157.243



- Contemporary Finish
- Centre Piece of Any Island Kitchen with Faber's 'Up & Down' Technology
- K-Link Hood to Hob Connectivity



Zoom Plus

ZOOM PLUS KL H405 x W410 x D430 345.0492.568

Specification

Finish	Stainless Steel
Lighting	Micro LED Lights (4000K)
Controls	Electronic / Remote Control
Width	410mm
Max Air Capacity	670 M ³ /H
Max Noise Level	69 dB
Energy Rating	A
Special Features	Faber's unique F-Light "Up&Down" Technology

Accessories

FHP8 High Performance Charcoal Filter	112.0158.127
FLL8 Long Lasting Charcoal Filter	112.0185.278
F-Light Ducting Kit	112.0169.216



- Contemporary Styling in Black Matt Finish
- Storage Shelving Holds Upto 15KG
- Can be Used from Either Side of an Island

T-Shelf

T-SHELF BLACK MATT H950 x W1796 x D520 325.0606.131

Specification

Finish	Black Matt
Lighting	LED Light Bars (4000K)
Controls	Push Button
Width	1796mm
Max Air Capacity	710 M ³ /H
Max Noise Level	69 dB
Energy Rating	B
Special Features	Unique storage shelf solution for upto 15KG

Accessories

FLL9 Long Lasting Charcoal Filter	112.0185.276
F9 Charcoal Filter	112.0157.243

FABER CUSTOMER GALLERY

Looking for kitchen inspiration? Take a closer look at real customer kitchens showcasing Faber in beautifully designed spaces.



Cylindra Isola (Island Hood)
@ kajastef



Daisy B (Island Hood)
@henllyshouse



Galileo (Venting Hob)
@ourwestfieldbungalow




High-light (Ceiling Hood)
@zarysy.pl



Pareo (Island Hood)
@palominohome



Galileo Smart 60 (Venting Hob)
@_talkinboutmyrenovation_



Victory (Integrated Hood)
@dontmoveimprove6



- Flush to Worktop When Not in Use
- Great Centre Piece with Faber's 'Up & Down' Technology
- Bright LED Light Bar

Fabula Plus

FABULA PLUS EV8+ BLACK H407 × W880 × D120 340.0571.082

Specification

Finish	Stainless Steel / Black Glass
Lighting	LED Lights (4000K)
Controls	EVO Touch Control
Width	900mm
Max Air Capacity	720 M ³ /H
Max Noise Level	68 dB
Energy Rating	A

Accessories

Fabula Charcoal Filter	112.0261.258
Fabula Remote Blower Kit	112.0327.008
Remote Control	112.0676.782



- Flush to Worktop When Not in Use
- Slim Size Perfect for Compact Kitchens
- Bright LED Light Bar

Fabula Plus 60

FABULA PLUS EV8+ BLACK A60 H407 × W590 × D120 340.0582.936

Specification

Finish	Stainless Steel / Black Glass
Lighting	LED Bar (4000K)
Controls	EVO Touch Control
Width	600mm
Max Air Capacity	650 M ³ /H
Max Noise Level	70 dB
Energy Rating	B

Accessories

Fabula Charcoal Filter	112.0629.411
Fabula Remote Blower Kit	112.0327.008
Remote Control	112.0676.782



Induction Hob 80cm

FCH 84 BK KL H520 x W780 x D53 108.0604.935

Specification - Hood

Finish	Black Glass
Controls	Touch Slider Control
Width	780mm
Induction Zones	4
Bridge Zones	1
Power Levels	9

Functions

K-Link with Hood	Yes	Booster	Yes
Child Proof Lock	Yes	Timer	Yes
Pause and Recall	Yes	Overflow Safety Device	Yes
Automatic Heat up	Yes	Pot Detection	Yes
Residual Heat Indication	Yes		
Power Limitation	2500W / 3000W / 3500W / 4000W / 5000W / 6000W / Full		



- Can be Surface Mounted or Flush
- Bridge Induction Zone on Left
- K-Link Hood to Hob Connectivity



Induction Hob 90cm

FCH 95 BK KL H520 x W900 x D53 108.0604.943

Specification - Hood

Finish	Black Glass
Controls	Touch Slider Control
Width	900mm
Induction Zones	4
Bridge Zones	2
Power Levels	9

Functions

K-Link with Hood	Yes	Booster	Yes
Child Proof Lock	Yes	Timer	Yes
Pause and Recall	Yes	Overflow Safety Device	Yes
Automatic Heat up	Yes	Pot Detection	Yes
Residual Heat Indication	Yes		
Power Limitation	2500W / 3000W / 3500W / 4000W / 5000W / 6000W / Full		



- Can be Surface Mounted or Flush
- Bridge Induction Zones on Left and Right
- K-Link Hood to Hob Connectivity





KitchenEx Ltd are the exclusive importers of Faber in the UK.

KitchenEx Ltd

MBP5, Meadowhall Business Park

Carbrook Hall Road

Sheffield, S9 2EQ

0114 399 8672

office@kitchenex.co.uk

www.faberhoods.co.uk

www.kitchenextras.co.uk

Faber reserves the right to change specifications without prior notice.